

## Caspase-3 rabbit pAb

Cat No.: ES1017

For research use only

## Overview

Product Name Caspase-3 rabbit pAb

Host speciesRabbitApplicationsWB;ELISA

Species Cross-Reactivity Human; Monkey

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not

yet tested in other applications.

Immunogen Synthesized peptide derived from Caspase-3 . at AA

range: 20-100

Specificity Caspase-3 Polyclonal Antibody detects endogenous

levels of Caspase-3 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at  $-20^{\circ}$ C. Avoid repeated freeze-thaw cycles.

Protein Name Caspase3
Gene Name CASP3
Cellular localization Cytoplasm.

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 34kD
Human Gene ID 836
Human Swiss-Prot Number P42574

Alternative Names CASP3; CPP32; Caspase-3; CASP-3; Apopain;

Cysteine protease CPP32; CPP-32; Protein Yama;

SREBP cleavage activity 1; SCA-1

**Background** This gene encodes a protein which is a member of

the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases

exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic



residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 6, 7 and 9, and the protein itself is processed by caspases 8, 9 and 10. It is the predominant caspase involved in the cleavage of amyloid-beta 4A precursor protein, which is associated with neuronal death in Alzheimer's disease. Alternative splicing of this gene results in two transcript variants that encode the same protein. [provided by RefSeq, Jul 2008],