

AP-1 (phospho Thr93) rabbit pAb

Cat No.: ES1263

For research use only

Overview

Immunogen

Specificity

Product Name AP-1 (phospho Thr93) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;IP;ELISA **Species Cross-Reactivity** Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunoprecipitation: 2-5 ug/mg lysate. ELISA: 1/20000. Not yet tested in other applications. The antiserum was produced against synthesized

peptide derived from human c-Jun around the phosphorylation site of Thr93. AA range:61-110 Phospho-AP-1 (T93) Polyclonal Antibody detects

endogenous levels of AP-1 protein only when

phosphorylated at T93.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Transcription factor AP-1;jun;c-jun; AP-1

Gene Name JUN Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 39-42kD
Human Gene ID 3725
Human Swiss-Prot Number P05412

Alternative Names JUN; Transcription factor AP-1; Activator protein 1;

AP1; Proto-oncogene c-Jun; V-jun avian sarcoma

virus 17 oncogene homolog; p39

Background This gene is the putative transforming gene of avian

sarcoma virus 17. It encodes a protein which is




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com




highly similar to the viral protein, and which interacts directly with specific target DNA sequences to regulate gene expression. This gene is intronless and is mapped to 1p32-p31, a chromosomal region involved in both translocations and deletions in human malignancies. [provided by RefSeq, Jul 2008],


Western Blot analysis of various cells using Phospho-AP-1 (T93) Polyclonal Antibody diluted at 1:500



Western Blot analysis of 293 cells using Phospho-AP-1 (T93) Polyclonal Antibody diluted at 1:500




Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using c-Jun (Phospho-Thr93) Antibody. The picture on the right is blocked with the phospho peptide.



+86-27-59760950







Western blot analysis of lysates from HeLa cells treated with UV, using c-Jun (Phospho-Thr93) Antibody. The lane on the right is blocked with the phospho peptide.



+86-27-59760950