

## Recombinant Human Asprosin (N-8His)

Catalog # EPT172

**Expression Host** Human Cells

**DESCRIPTION** Recombinant Human Asprosin is produced by our

Mammalian expression system and the target gene

encoding Ser2732-His2871 is expressed with a 8His

tag at the N-terminus.

Accession P35555

**Synonyms** Fibrillin-1; FBN1; Asprosin; FBN

Mol Mass 17 KDa

**AP Mol Mass** 27-30 KDa, reducing conditions

**Purity** Greater than 95% as determined by reducing

SDS-PAGE.

**Endotoxin** Less than 0.1 ng/μg (1 EU/μg) as determined by LAL

test.

**FORMULATION** Lyophilized from a 0.2 µm filtered solution of PBS, pH

7.4.

**RECONSTITUTION** Always centrifuge tubes before opening.Do not mix by

vortex or pipetting.



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



It is not recommended to reconstitute to a concentration less than 100µg/ml.

Dissolve the lyophilized protein in distilled water.

Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**SHIPPING** 

The product is shipped at ambient temperature.

Upon receipt, store it immediately at the temperature listed below.

**STORAGE** 

Lyophilized protein should be stored at < -20 ° C, though stable at room temperature for 3 weeks.

Reconstituted protein solution can be stored at 4-7°C for 2-7 days.

Aliquots of reconstituted samples are stable at < -20° C for 3 months.


**BACKGROUND** 

Asprosin is a protein hormone that is produced by white adipose tissue in mammals (and potentially by other tissues), which is then transported to the liver and stimulates it to release glucose into the blood stream. In the liver asprosin activates rapid glucose release by a cAMP-dependent pathway. The glucose release by the liver into the blood stream is vital for brain function and survival during fasting. People with





neonatal progeroid syndrome lack asprosin, while people with insulin resistance have it in abundance. In animal tests asprosin showed potential for treating type 2 diabetes. When antibodies targeting asprosin were injected into diabetic mice, blood glucose and insulin levels improved.



**SDS-PAGE** 



+86-27-59760950